



ADDENDUM #4

RFP 26-016

SIDEWALK RESTORATION AND CONSTRUCTION 2026

This addendum is being issued to provide additional information and corrections to SECTION III – SCOPE OF WORK for project requirements for RFP 26-016:

1. SECTION 3.1.1 (b) – Project Site No. 1 – Homer Street, SECTION 3.1.2 (b) – Project Site No. 2 – Ridgeway Street and SECTION 3.1.3 (b) – Project Site No. 3 – Carson Street

Prior to the commencement of work, concrete samples must be submitted to the Public Works Department of the City of Commerce to perform a Slump Test for each new containerload of concrete. Contractor will be notified, by the City of Commerce Public Works Department, of the results and whether work can commence

2. SECTION 3.0.1 GENERAL REQUIREMENTS

All work performed by Contractor will be warranted for a term of 1 (one) year from the final acceptance of completion of the entire project by the City of Commerce. The City of Commerce is not responsible for any costs with regards to labor, materials or any other additional costs incurred by Contractor to repair, replace or correct any work performed under the warranty.

This addendum should be signed and returned with your proposal. Failure to do so may result in the proposal being non-responsive.

Debby Saxon
Finance Specialist
City of Commerce

Company Name _____

Authorized Representative _____